


Database Management Systems

## Triggers


DBG 1



## Triggers

- ▷ Active Database Systems
- ▷ Oracle Triggers
- ▷ DB2 Triggers
- ▷ Differences between Oracle and DB2
- ▷ Trigger Design


DBG 2



Database Management Systems

## Active Database Systems


DBG 3



## Active database systems

- ▷ Traditional DBMS operation is *passive*
  - Queries and updates are explicitly requested by users
  - The knowledge of processes operating on data is typically embedded into applications
- ▷ *Active* database systems
  - Reactivity is a service provided by a normal DBMS
  - Reactivity *monitors* specific database events and *triggers* actions in response


DBG 4



## Active database systems

- ▷ Reactivity is provided by automatically executing rules
- ▷ Rules are in the form
  - Event
  - Condition
  - Action
- ▷ Also called active or ECA rules

DBG 5



## Active rules

- ▷ Event
  - Database modification operation
- ▷ Condition
  - Predicate on the database state
  - If the condition is true, the action is executed
- ▷ Action
  - Sequence of SQL instructions or application procedure

DBG 6

### Rule engine

- ▷ Component of the DBMS, in charge of
  - Tracking events
  - Executing rules when appropriate
    - based on the execution strategy of the DBMS
- ▷ Rule execution is interleaved with traditional transaction execution

DBG 7

### Example

- ▷ The active rule manages reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ Event
  - Update of the quantity on hand for product x
  - Insert of a new product x

DBG 8

### Example

- ▷ The active rule manages reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ Condition
  - The quantity on hand is below a given threshold *and* there are no pending orders for product x
- ▷ Action
  - Issue an order with given reorder quantity for product x

DBG 9

### Applications of active rules

- ▷ Internal applications
  - maintenance of complex integrity constraints
  - replication management
  - materialized view maintenance
- ▷ Business Rules
  - Incorporate into the DBMS application knowledge
    - E.g., reorder rule
- ▷ Alerters
  - widely used for notification

DBG 10

### Triggers

- ▷ Commercial products implement active rules by means of *triggers*
- ▷ SQL provides instructions for defining triggers
  - Triggers are defined by means of the DDL instruction `CREATE TRIGGER`
- ▷ Trigger syntax and semantics are covered in the SQL3 standard
  - Some commercial products implement different features with respect to the standard

DBG 11

### Trigger structure

- ▷ Event
  - Insert, delete, update of a table
  - Each trigger can only monitor events on a *single* table
- ▷ Condition
  - SQL predicate (it is optional)
- ▷ Action
  - Sequence of SQL instructions
  - Proprietary programming language blocks
    - e.g. Oracle PL/SQL
  - Java block

DBG 12

### Execution process

*When* the events take place [triggering]  
*If* the condition is true [evaluation]  
*Then* the action is executed [execution]

- Seems very simple but...
  - Execution modes
  - Execution granularity

DBG 13

### Execution mode

- Immediate
  - The trigger is executed *immediately before or after* the triggering statement
- Deferred
  - The trigger is executed *immediately before commit*
- Only the immediate option is available in commercial systems

DBG 14

### Execution granularity

- Tuple (or row level)
  - One separate execution of the trigger *for each tuple* affected by the triggering statement
- Statement
  - One single trigger execution *for all tuples* affected by the triggering statement

DBG 15


### Granularity example

- Table T
 

A	B
1	5
2	9
8	20
- Transaction statement
 

```
UPDATE T
SET A=A+1
WHERE B<10;
```
- Trigger execution
  - A row level trigger executes twice
  - A statement level trigger executes once

DBG 16



## Database Management Systems

### Oracle Triggers

DBG 17

### Trigger syntax

```
CREATE TRIGGER TriggerName
Mode Event {OR Event }
ON TargetTable
[[ REFERENCING ReferenceName]
FOR EACH ROW
[WHEN Predicate]]
PL/SQL Block
```

DBG 18

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ *Mode* is BEFORE or AFTER

- Also INSTEAD OF but should be avoided

DBG 19

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ Event ON *TargetTable* is

- INSERT
- DELETE
- UPDATE [OF *ColumnName*]

DBG 20

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ FOR EACH ROW specifies row level execution semantics

- If omitted, the execution semantics is statement level

DBG 21

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ The old and new states of the row triggering a *row level* trigger may be accessed by means of the

- OLD.*ColumnName* variable
- NEW.*ColumnName* variable

DBG 22

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ To rename the state variables

- REFERENCING OLD AS *OldVariableName*
  - similarly for NEW

DBG 23

### Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]
  PL/SQL Block
```

▷ *Only* for row level execution semantics (i.e., FOR EACH ROW)

- A condition may be optionally specified
- The old and new state variables may be accessed

DBG 24

## Trigger syntax

```
CREATE TRIGGER TriggerName
  Mode Event {OR Event }
  ON TargetTable
  [[ REFERENCING ReferenceName]
  FOR EACH ROW
  [WHEN Predicate]]
  PL/SQL Block
```

- ▷ The action is
  - a sequence of SQL instructions
  - a PL/SQL block
- ▷ *No* transactional and DDL instructions

25

## Trigger semantics

- ▷ Execution modes
  - immediate before
  - immediate after
- ▷ Granularity is
  - row (tuple)
  - statement
- ▷ Execution is triggered by insert, delete, or update statements in a transactions

26

## Execution algorithm

1. Before statement triggers are executed
2. For each tuple in *TargetTable* affected by the triggering statement
  - a) Before row triggers are executed
  - b) The triggering statement is executed
    - + integrity constraints are checked on tuples
  - c) After row triggers are executed
3. Integrity constraints on tables are checked
4. After statement triggers are executed

27

## Trigger semantics

- ▷ The execution order for triggers with the same event, mode and granularity is not specified
  - it is a source of non determinism
- ▷ When an error occurs
  - rollback of all operations performed by the triggers
  - rollback of the triggering statement in the triggering transaction

28

## Non termination

- ▷ Trigger execution may activate other triggers
  - Cascaded trigger activation may lead to non termination of trigger execution
- ▷ A maximum length for the cascading trigger execution may be set
  - default = 32 triggers
- ▷ If the maximum is exceeded
  - an execution error is returned

29

## Mutating tables

- ▷ A *mutating table* is the table modified by the statement (i.e., event) triggering the trigger
- ▷ The mutating table
  - *cannot* be accessed in row level triggers
  - may *only* be accessed in statement triggers
- ▷ Limited access on mutating tables only characterizes Oracle applications
  - accessing mutating tables is *always* allowed in SQL3

30

### Example

- ▷ Trigger to manage reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ The following database schema is given
  - Inventory (Part#, QtyOnHand, ThresholdQty, ReorderQty)
  - PendingOrders(Part#, OrderDate, OrderedQty)

DBM 31

### Example

- ▷ Trigger to manage reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ Event
  - Update of the quantity on hand for product x
  - Insert of a new product x
- ▷ Execution semantics
  - After the modification event
  - Separate execution for each row of the Inventory table

DBM 32

### Trigger example

```
CREATE TRIGGER Reorder
AFTER UPDATE OF QtyOnHand OR INSERT ON Inventory
FOR EACH ROW
```

DBM 33

### Example

- ▷ Trigger to manage reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ Condition
  - The quantity on hand is below a given threshold

DBM 34

### Trigger example

```
CREATE TRIGGER Reorder
AFTER UPDATE OF QtyOnHand OR INSERT ON Inventory
FOR EACH ROW
WHEN (NEW.QtyOnHand < NEW.ThresholdQty)
```

DBM 35

### Example

- ▷ Trigger to manage reorder in an inventory stock
  - when the stocked quantity of a product goes below a given threshold
  - a new order for the product should be issued
- ▷ Condition
  - The quantity on hand is below a given threshold
  - and* there are no pending orders for product x
    - This part cannot be introduced into the WHEN clause
- ▷ Action
  - Issue an order with given reorder quantity for product x

DBM 36

### Example: Trigger body

```

DECLARE
  N number;
BEGIN
  select count(*) into N
  from PendingOrders
  where Part# = :NEW.Part#;
  If (N=0) then
    insert into PendingOrders(Part#,OrderedQty,OrderDate)
    values (:NEW.Part#, :NEW.ReorderQty, SYSDATE);
  end if;
END;
    
```

DBG 37

### Complete trigger example

```

CREATE TRIGGER Reorder
AFTER UPDATE OF QtyOnHand OR INSERT ON Inventory
FOR EACH ROW
WHEN (NEW.QtyOnHand < NEW.ThresholdQty)
DECLARE
  N number;
BEGIN
  select count(*) into N
  from PendingOrders
  where Part# = :NEW.Part#;
  If (N=0) then
    insert into PendingOrders(Part#,OrderedQty,OrderDate)
    values (:NEW.Part#, :NEW.ReorderQty, SYSDATE);
  end if;
END;
    
```

DBG 38



### Database Management Systems

## DB2 Triggers

DBG 39

### Trigger syntax

```

CREATE TRIGGER TriggerName
  Mode Event
  ON TargetTable
  [ REFERENCING ReferenceName ]
  FOR EACH Level
  WHEN Predicate
  Procedural SQL Statements
    
```

- ▷ Mode is BEFORE or AFTER
- ▷ Event is INSERT or DELETE or UPDATE
  - Only one event is allowed for a single trigger
- ▷ Level is ROW or STATEMENT

DBG 40

### Trigger syntax

```

CREATE TRIGGER TriggerName
  Mode Event
  ON TargetTable
  [ REFERENCING ReferenceName ]
  FOR EACH Level
  WHEN Predicate
  Procedural SQL Statements
    
```

- ▷ The condition may be specified for **both** row and statement triggers

DBG 41

### Trigger syntax

```

CREATE TRIGGER TriggerName
  Mode Event
  ON TargetTable
  [ REFERENCING ReferenceName ]
  FOR EACH Level
  WHEN Predicate
  Procedural SQL Statements
    
```

- ▷ State variables are available for **both** row and statement triggers
  - OLD and NEW tuple variables for row triggers
  - OLD\_TABLE and NEW\_TABLE set variables for statement triggers

DBG 42

## Trigger semantics

- ▷ Execution modes
  - immediate before
  - immediate after
- ▷ Granularity is
  - row (tuple)
  - statement
- ▷ Execution is triggered by insert, delete, or update statements in a transaction

DBMG

43

## Trigger semantics

- ▷ Before triggers cannot modify the database
  - apart from the tuples affected by the triggering statement
    - tuple variables are used
    - cannot trigger other triggers
- ▷ The execution of row and statement triggers with the same mode is in arbitrary order
- ▷ When more triggers are activated on the same event and mode
  - they are executed in *creation order*
- ▷ Trigger execution is *deterministic*

DBMG

44

## Trigger semantics

- ▷ Cascading trigger execution is allowed up to a maximum number of triggers in the execution chain
- ▷ When an error occurs
  - rollback of all operations performed by the triggers
  - rollback of the *entire transaction*

DBMG

45

## Execution algorithm

- ▷ Transaction T contains a statement S which generates event E
  1. T's execution is suspended and its state is saved into a stack
  2. Old and new values of E are computed
  3. Before triggers on E are executed
  4. New values are applied to the DB (the modification due to E is actually performed)
    - Constraints are checked
      - compensative actions may trigger other triggers, hence cause a recursive invocation of the same execution procedure

DBMG

46

## Execution algorithm

5. After triggers triggered by E are executed
  - If any trigger contains an action A which triggers other triggers
    - the same execution procedure is recursively invoked on A
6. The execution state of T is extracted from the stack and T is resumed

DBMG

47

## Example

- ▷ The trigger
  - monitors the Inventory table
  - inserts into an audit table the information on
    - the user performing updates on the table
    - the update date and number of updated tuples
- ▷ The following table is given  
InventoryAudit (UserName, Date, Update#)

DBMG

48



### Example

- ▷ Event
  - Update of the Inventory table
- ▷ Execution semantics
  - After the modification event
  - Separate execution for each update instruction
    - Statement semantics
- ▷ No condition for execution

DBG 49

### Trigger example

```

CREATE TRIGGER UpdateAudit
AFTER UPDATE ON Inventory
FOR EACH STATEMENT
insert into InventoryAudit (UserName, Date, Update#)
values (USER, SYSDATE,
(select count(*) from OLD_TABLE));
    
```

DBG 50

## Database Management Systems

### Comparing Oracle and DB2 Triggers

DBG 51

### Differences between Oracle and DB2

	Oracle	DB2
Reference to Old_Table and New_Table in statement triggers	No	Yes
When clause in statement triggers	No	Yes
Execution order between row and statement triggers with same mode	Specified	Arbitrary
Execution order between triggers with same event, mode and granularity	Unspecified	Creation Order
More than one triggering event allowed	Yes	No
Forbidden access to the mutating table	Yes for row triggers	No
Availability of the instead semantics	Yes	No
Database modifications allowed in before triggers	Yes	Only NEW variables

DBG 52

## Database Management Systems

### Trigger Design

DBG 53

### Trigger design

- ▷ The design of a single trigger is usually simple
  - Identify
    - execution semantics
    - event
    - condition (optional)
    - action

DBG 54

## Trigger design

- ▷ Understanding *mutual* interactions among triggers is more complex
  - The action of one trigger may be the event of a different trigger
    - Cascaded execution
- ▷ If mutual triggering occurs
  - Infinite execution is possible

55

## Trigger execution properties

- ▷ Termination
  - For an arbitrary database state and user transaction, trigger execution *terminates* in a final state (also after an abort)
- ▷ Confluence
  - For an arbitrary database state and user transaction, trigger execution *terminates in a unique final state*, independently of the execution order of triggers
- ▷ Termination is the most important property
- ▷ Confluence is enforced by deterministic trigger execution

56

## Guaranteeing termination

- ▷ Termination is guaranteed at run time by aborting trigger execution after a given cascading length
- ▷ Termination may be verified at design time by means of the triggering graph
  - a node for each trigger
  - a directed edge  $T_i \rightarrow T_j$  if trigger  $T_i$  is performing an action triggering trigger  $T_j$
- ▷ A cycle in the graph shows potential non terminating executions



57

## Example

- ▷ Trigger managing salary amounts
  - When a given average salary value is exceeded, a salary reduction is automatically enforced
- ▷ The following table is given
 

Employee (Emp#, Ename, ..., Salary)
- ▷ Event
  - Update of the Salary attribute in Employee
  - Insert into Employee
    - Will write only trigger for update

58

## Example

- ▷ Trigger managing salary amounts
  - When a given average salary value is exceeded, a salary reduction is automatically enforced
- ▷ The following table is given
 

Employee (Emp#, Ename, ..., Salary)
- ▷ Execution semantics
  - After the modification events
  - Separate execution for each update instruction
- ▷ No condition for execution

59

## Example

```

CREATE TRIGGER SalaryMonitor
AFTER UPDATE OF Salary ON Employee
FOR EACH STATEMENT
BEGIN
  update Employee
  set Salary = Salary * K
  where 2500 < (select AVG (Salary) from Employee);
END;
    
```

The value of K may be  
 K = 0.9 → execution terminates  
 K = 1.1 → infinite execution



60

### Trigger applications

- ▷ Internal applications
  - maintenance of complex integrity constraints
  - replication management
  - materialized view maintenance
- ▷ Business Rules
  - Incorporate into the DBMS application knowledge
    - E.g., reorder rule
- ▷ Alerters
  - widely used for notification

DBG 61

### Triggers for constraint management

- ▷ Triggers are exploited to enforce complex integrity constraints
- ▷ Design procedure
  1. Write the constraint as a SQL predicate
    - It provides a condition for the trigger execution
  2. Identify the events which may violate the constraint
    - i.e. the condition
  3. Define the constraint management technique in the action

DBG 62

### Design example (1)

- ▷ The following tables are given
  - Supplier S (S#, SName, ...)
  - Part P (P#, PName, ...)
  - Supply SP (S#, P#, Qty)
- ▷ Constraint to be enforced
  - A part may be supplied by at most 10 different suppliers

DBG 63

### Design example (1)

- ▷ Constraint predicate
 

```
select P#
from SP
group by P#
having count(*) > 10
```

  - set of parts violating the constraint
- ▷ Events
  - insert on SP
  - update of P# on SP
- ▷ Action
  - reject the violating transaction

DBG 64

### Design example (1)

- ▷ Execution semantics
  - *after* the modification
  - *statement level*
    - to capture the effect of the entire modification
    - (Oracle) to allow access to the mutating table
- ▷ (Oracle) No condition
  - The condition cannot be specified in the WHEN clause
  - It is checked in the trigger body
- ▷ Design for Oracle trigger semantics

DBG 65

### Design example (1)

```
CREATE TRIGGER TooManySuppliers
AFTER UPDATE OF P# OR INSERT ON SP
DECLARE
N number;
BEGIN
select count(*) into N
from SP
where P# IN (select P# from SP
group by P#
having count(*) > 10);
if (N <> 0) then
raise_application_error (xxx, 'constraint violated');
end if;
END;
```

DBG 66

### Design example (2)

- ▷ The following tables are given
  - Supplier S (S#, SName, ...)
  - Part P (P#, PName, ...)
  - Supply SP (S#, P#, Qty)
- ▷ Constraint to be enforced
  - The quantity of a product supply cannot be larger than 1000. If it is larger, trim it to 1000.
- ▷ Check constraints do not allow compensating actions
  - Implement with a trigger

DBG 67

### Design example (2)

- ▷ Constraint predicate
  - Qty > 1000
  - It is also the trigger condition
- ▷ Events
  - insert on SP
  - update of Qty on SP
- ▷ Action
  - Qty = 1000

DBG 68

### Design example (2)

- ▷ Execution semantics
  - *before* the modification takes place
    - its effect can be changed before the constraint is checked
  - *row level*
    - each tuple is modified separately

DBG 69

### Design example (2)

```
CREATE TRIGGER ExcessiveQty
BEFORE UPDATE OF Qty OR INSERT ON SP
FOR EACH ROW
WHEN (NEW.Qty > 1000)
BEGIN
:NEW.Qty := 1000;
END;
```

DBG 70

### Triggers for materialized view maintenance

- ▷ Materialized views are queries persistently stored in the database
  - provide increased performance
  - contain redundant information
    - e.g., aggregate computations
- ▷ Triggers are exploited to maintain redundant data
  - Propagate data modifications on tables to materialized view

DBG 71

### Design example (3)

- ▷ Tables
  - Student S (SId, SName, DCId)
  - Degree course DC (DCId, DCName)
- ▷ Materialized view
  - Enrolled students ES (DCId, TotalStudents)
    - For each degree course, TotalStudents counts the total number of enrolled students
    - Defined by query
 

```
SELECT DCId, COUNT(*)
FROM S
GROUP BY DCId;
```

DBG 72

### Design example (3)

- ▷ Tables
  - Student S (SId, SName, DCId)
  - Degree course DC (DCId, DCName)
- ▷ Materialized view
  - Enrolled students ES (DCId, TotalStudents)
    - For each degree course, TotalStudents counts the total number of enrolled students
    - A new degree course is inserted in materialized view ES when the first student is enrolled in it
    - A degree course is deleted from ES when the last student quits it

DBG 73

### Design example (3)

- ▷ Database schema
  - S (SId, SName, DCId)
  - DC (DCId, DCName)
  - ES (DCId, TotalStudents)
- ▷ Propagate modifications on table S to materialized view (table) ES
  - Inserting new tuples into S
  - Deleting tuples from S
  - Updating the DCId attribute in one or more tuples of S

DBG 74

### Design example (3)

- ▷ Design three triggers to manage separately each data modification
  - Insert trigger, delete trigger, update trigger
  - All triggers share the same execution semantics
- ▷ Execution semantics
  - *after* the modification takes place
    - Table ES is updated after table S has been modified
  - *row level*
    - Separate execution for each tuple of table S
      - significantly simpler to implement

DBG 75

### Insert trigger (3)

- ▷ Event
  - insert on S
- ▷ No condition
  - It is always executed
- ▷ Action
  - if table ES contains the DCId in which the student is enrolled
    - increment TotalStudents
  - otherwise
    - add a new tuple in table ES for the degree course, with TotalStudents set to 1

DBG 76

### Insert trigger (3)

```

CREATE TRIGGER InsertNewStudent
AFTER INSERT ON S
FOR EACH ROW
DECLARE
    N number;
BEGIN
    --- check if table ES contains the tuple for the degree
    --- course NEW.DCId in which the student enrolls
    select count(*) into N
    from ES
    where DCId = :NEW.DCId;
    
```

DBG 77

### Insert trigger (3)

```

if (N <> 0) then
    --- the tuple for the NEW.DCId degree course is
    --- available in ES
    update ES
    set TotalStudents = TotalStudents +1
    where DCId = :NEW.DCId;
else
    --- no tuple for the NEW.DCId degree course is
    --- available in ES
    insert into ES (DCId, TotalStudents)
    values (:NEW.DCId, 1);
end if;
END;
    
```

DBG 78

## Delete trigger (3)

- ▷ Event
  - delete from S
- ▷ No condition
  - It is always executed
- ▷ Action
  - if the student was the only student enrolled in the degree course
    - delete the corresponding tuple from ES
  - otherwise
    - decrement TotalStudents



79

## Delete trigger (3)

```
CREATE TRIGGER DeleteStudent
AFTER DELETE ON S
FOR EACH ROW
DECLARE
  N number;
BEGIN
  --- read the number of students enrolled on
  --- the degree course OLD.DCId
  select TotalStudents into N
  from ES
  where DCId = :OLD.DCId;
```



80

## Delete trigger (3)

```
if (N > 1) then
  --- there are many enrolled students
  update ES
  set TotalStudents = TotalStudents - 1
  where DCId = :OLD.DCId;
else
  --- there is a single enrolled student
  delete from ES
  where DCId = :OLD.DCId;
end if;
END;
```



81

## Update trigger (3)

- ▷ Event
  - Update of DCId on S
- ▷ No condition
  - It is always executed
- ▷ Action
  - update table ES for the degree course where the student *was* enrolled
    - decrement TotalStudents, or delete tuple if last student
  - update table ES for the degree course where the student *is currently* enrolled
    - increment TotalStudents, or insert new tuple if first student



82

## Update trigger (3)

```
CREATE TRIGGER UpdateDegreeCourse
AFTER UPDATE OF DCId ON S
FOR EACH ROW
DECLARE
  N number;
BEGIN
  --- read the number of students enrolled in
  --- degree course OLD.DCId
  select TotalStudents into N
  from ES
  where DCId = :OLD.DCId;
```



83

## Update trigger (3)

```
if (N > 1) then
  --- there are many enrolled students
  update ES
  set TotalStudents = TotalStudents - 1
  where DCId = :OLD.DCId;
else
  --- there is a single enrolled student
  delete from ES
  where DCId = :OLD.DCId;
end if;
```



84

## Update trigger (3)

```
--- check if table ES contains the tuple for the degree
--- course NEW.DCId in which the student is enrolled
select count(*) into N
from ES
where DCId = :NEW.DCId;
```

## Update trigger (3)

```
if (N <> 0) then
--- the tuple for the NEW.DCId degree course is available in ES
update ES
set TotalStudents = TotalStudents + 1
where DCId = :NEW.DCId;
else
--- no tuple for the NEW.DCId degree course is available in ES
insert into ES (DCId, TotalStudents)
values (:NEW.DCId, 1);
end if;
END;
```