

Extended SQL

The following relations are given (primary keys are underlined, optional attributes are denoted with *):

Customer(CustomerID, CustomerSurname, Province, Region)

Category(CategoryID, CategoryName)

Agent(AgentID, AgentSurname, Agency)

Time(TimeID, Month, Quarter, Semester, Year)

Sales(TimeID, CustomerID, ItemCategoryID, AgentID, TotAmount, NumSoldItems, TotDiscount)

- a) Show for each category of items,
- The category
 - The total sale amount for the category
 - The total number of sold items within the category
 - The rank of the category according to its total sale amount
 - The rank of the category according to its total number of sold times
 - Sort the result for increasing value of total number of sold times within the category
- b) Show, for each province
- The province
 - The region of the province
 - The total sale amount for the province
 - The rank of the province according to its total sale amount, separately for each region
- c) Show, for each province and month
- The province
 - The region of the province
 - The month
 - The total sale amount for the province in the current month
 - The rank of the province according to its total sale amount, separately for each month

NB: The same month, in different years, should be managed as a different month. For example, the month January in 2007 is different from the month January in 2006.

- d) Show, for each region and month
- The region
 - The month
 - The total sale amount for the region in the current month
 - The cumulative sale amount for increasing months, separately for each region

NB: The same month, in different years, should be managed as a different month. For example, the month January in 2007 is different from the month January in 2006.