

## Big data: architectures and data analytics

## Lab 3

2

## Lab 3

### Input file

```
A1008ULOSWl006,B0017OAIQY
A100EBHBG1GF5,B0013T5YO4
A1017Yo5GBINVS,B0009F3SAK
A101F8M8DPFOM9,B005HY2BRO,B000H7MFVI
A102H88HCCJJAB,B0007A8XV6
A102ME7M2YW2P5,B000FKGT8W
A102QP2OSXRVH,B001EQ5SGJ,B000EHoRTS
A102IGNH1D915Z,B000RHKK6,B0001DHNKC,B0001DHNXC,B000XJK7UG,B00008DFK5,B000
SP1CWV,B0009YD7P2,B0002P1CWV,B00008DFK5,B0009YD7P2
A1051WAJLoJIWH,B000W5U5H6
A1052Vo4GOA7RW,B002GJgJY6,B001E5E3JY,B008ZRKZSM,B002GJgJWS
.....
```

### Each line contains

- a reviewer ID (Axxxxxx) and
- the list of products reviewed by her/him (Bxxxxxx)

3

## Lab 3 – Ex. 1

- Your goal is to find the top 100 pairs of products most often reviewed (and so bought) together
- We consider two products as reviewed (i.e., bought) together if they appear in the same line of the input file

4

## Lab 3 – Ex.1: Possible solutions

- At least three different “approaches” can be used to solve Ex. 1 of Lab 3

5


## Lab 3 – Ex.1: Solution #1

- A chain of two MapReduce jobs is used
  - The first job computes the number of occurrences of each pair of products that occur together in at least one line of the input file
    - It is like a word count where each “word” is a pair of products
  - The second job, selects the top-k pairs of products, in terms of num. of occurrences, among the pairs emitted by the first job
    - It implements the top-k pattern

6

## Lab 3 – Ex.1: Solution #1


- The first job computes the number of occurrences of each pair of products analyzing the input file



7

## Lab 3 – Ex.1: Solution #1

- The second job computes the global top-k pairs of products in terms of num. of occurrences



8

## Lab 3 – Ex.1: Solution #2

- One single MapReduce jobs is used
  - The job
    - Computes the number of occurrences of each pair of products that occur together in at least one line of the input file
      - It is again like a word count where each "word" is a pair of products
      - However, the reducer does not emit all the pairs (pair of products, #of occurrences) that it computes
    - The top-k list is computed in the reducer and is emitted in its cleanup method

9


## Lab 3 – Ex.1: Solution #2

- In the reducer, the job computes **also** the top-k list
  - By initializing the top-k list in the setup method of the reducer
  - By updating the top-k list in the reduce method (immediately after the computation of the frequency of the current pair of products)
  - By emitting the final top-k list in the cleanup method of the reducer
- There must be **one single reducer** in order to compute the final global top-k list

10

## Lab 3 – Ex.1: Solution #2

- There is one single job that computes the number of occurrences and the global top-k list at the same time in its single reducer



11

## Lab 3 – Ex.1: Solution #3

- A chain of two MapReduce jobs is used
  - The first job is the same job used by Solution #2
    - However, in this case the number of reducers is set to a value greater than one
      - This setting allows parallelizing this intermediate step
    - Each reducer emits a local top-k list
      - The first job returns a number of local top-k lists equal to the number of reducers of the first job

12


## Lab 3 – Ex.1: Solution #3

- The second job computes the final top-k list merging the pairs of the local top-k lists emitted by the first job
  - It is based on the standard Top-k pattern

33

## Lab 3 – Ex.1: Solution #3


- The first job computes the number of occurrences of each pair of products but each reducer emits only its local top-k pairs



34

## Lab 3 – Ex.1: Solution #3

- The second job computes the global top-k pairs of products in terms of num. of occurrences merging the local list of job #1



35

## Lab 3 – Ex.1: Comparison of the proposed solutions

- Solution #1
  - + Adopts two standard patterns
  - - However, the output of the first job is very large
    - One pair for each pair of products occurring together at least one time in the input file

36

## Lab 3 – Ex.1: Comparison of the proposed solutions

- Solution #2
  - + Only one job is instantiated and executed (there is only one job in Solution #2) and its output is already the final top-k list
  - - However, only one reducer is instantiated
    - It could become a bottleneck because one single reducer must analyze the potentially large set of pairs emitted by the mappers
  - - It is not a standard pattern

37

## Lab 3 – Ex.1: Comparison of the proposed solutions

- Solution #3
  - + Each reducer of the first job emits only the pair contained in its local top-k lists
    - One top-k list for each reducer
    - The pairs of the top-k lists emitted by the reducers are significantly smaller than all the pairs of products occurring together at least one time
    - Since the first job instantiates many reducers, the parallelism is maintained
  - - It is not a standard pattern

38