Big data: architectures and data analytics

MapReduce - Exercises

Exercise #5

- Average
  - Input: a collection of (structured) textual csv files containing the daily value of PM10 for a set of sensors
    - Each line of the files has the following format
      sensorId,date,PM10 value (μg/m^3)\n
  - Output: report for each sensor the average value of PM10

3

Exercise #5 - Example

- Input file

  s1,2016-01-01,20.5
  s2,2016-01-01,30.1
  s1,2016-01-02,60.2
  s2,2016-01-02,20.4
  s1,2016-01-03,55.5
  s2,2016-01-03,52.5

- Output pairs (s1, 45.4)
  (s2, 34.3)

4

Exercise #6

- Max and Min
  - Input: a collection of (structured) textual csv files containing the daily value of PM10 for a set of sensors
    - Each line of the files has the following format

      sensorId,date,PM10 value (µg/m^3)\n
  - Output: report for each sensor the maximum and the minimum value of PM10

5

Exercise #6 - Example

- Input file

  ```
  s1,2016-01-01,20.5
  s2,2016-01-01,30.1
  s1,2016-01-02,60.2
  s2,2016-01-02,20.4
  s1,2016-01-03,55.5
  s2,2016-01-03,52.5
  ```

- Output pairs (s1, max=60.2_min=20.5)
            (s2, max=52.5_min=20.4)

6

3

Exercise #7

- Inverted index
  - Input: a textual file containing a set of sentences
    - Each line of the file has the following format
      sentenceId\tsentence\n
  - Output: report for each word **w** the list of sentenceIds of the sentences containing **w**
    - Do not consider the words "and", "or", "not"

7

Exercise #7 - Example

- Input file

Sentence#1	Hadoop or Spark
Sentence#2	Hadoop or Spark and Java
Sentence#3	Hadoop and Big Data

- **Output pairs** (hadoop, [Sentence#1, Sentence#2, Sentence#3])
  (spark, [Sentence#1, Sentence#2])
  (java, [Sentence#2])
  (big, [Sentence#3])
  (data, [Sentence#3])

8

4

Exercise #8

- Total income for each month of the year and Average monthly income per year
  - Input: a (structured) textual csv files containing the daily income of a company
    - Each line of the files has the following format

      date**\t**daily income**\n**
  - Output:
    - Total income for each month of the year
    - Average monthly income for each year

9

Exercise #8 - Example

- Input file

2015-11-01	1000
2015-11-02	1305
2015-12-01	500
2015-12-02	750
2016-01-01	345
2016-01-02	1145
2016-02-03	200
2016-02-04	500

- Output

(2015-11,2305)   (2015, 1777.5)
(2015-12, 1250)
(2016-01, 1490)   (2016,1095.0)
(2016-02, 700)

10