


Laboratory 2

Write and execute SQL queries

Goal

The objective of this practice is to write some SQL queries and execute them on an Oracle.

To write the SQL query on Oracle Apex, go to *SQLWorkshop* and then *SQL Commands*. Execute it by clicking on the *Run* button (see figure)..



1 Description of the *Delivery* database

The *Delivery* database gathers information about the activities of a firm delivering and collecting goods for various customer companies.

The DELIVERERS table contains the personal data for the deliverers working at the firm. For each deliverer, the following information is available: identification code (DELIVERERID), last name, first name initials, year of birth, sex, year when she/he began working for the firm, street, house number, city, residence postal code, cellular phone number, and office phone number.

The COMPANYDEL table reports the total number of deliveries (NUMDELIVERIES) and collections (NUMCOLLECTIONS) made by each deliverer for each customer company. Note that the table only reports the deliverer-company pairs such that the deliverer performed at least one delivery or collection for the company.

The PENALTIES table reports the fines received by each deliverer. For each fine, the fine code (PENALTYID), the deliverer code, the fine date, and amount to be paid are stored.

The COMPANIES table reports, for each customer company, the company identification code (COMPANYID) and the identification code of the deliverer who is the company's current reference person. In addition, it reports the number of times (MANDATE) the deliverer held this position.

2 SQL Queries

1. Show all information about all deliverers.

```
SELECT * FROM DELIVERERS;
```

DELIVERERID	NAME	INITIALS	YEAR_OF_BIRTH	SEX	YEAR_JOINED	STREET	HOUSENO	POSTCODE	TOWN	CELLNO	PHONENO
2	Everett	R	1948	M	2005	Stoney Road	43	3575NH	Stratford	070-237893	2411
6	Parmenter	R	1964	M	2007	Haseltine Lane	80	1234KK	Stratford	070-476537	8467
8	Newcastle	B	1962	F	2010	Station Road	4	6584WO	Inglewood	070-476573	2983
27	Collins	DD	1964	F	2013	Long Drive	804	8457DK	Eltham	079-234857	2513
44	Baker	E	1963	M	2010	Lewis Street	23	4444LJ	Inglewood	070-368753	1124
57	Brown	M	1971	M	2005	Edgecombe Way	16	4377CB	Stratford	070-473458	6409
83	Hope	PK	1956	M	2012	Magdalene Road	16a	1812UP	Stratford	070-353548	1608
100	Parmenter	P	1963	M	2019	Haseltine Lane	80	1234KK	Stratford	070-476537	6524
104	Moorman	D	1970	F	2014	Stout Street	65	9437AO	Eltham	079-987571	7060
112	Bailey	IP	1963	F	2014	Vixen Road	8	6392LK	Plymouth	010-54874	1319
7	Wise	GWS	1963	M	2011	Edgecombe Way	39	9758VB	Stratford	070-347689	-
28	Collins	C	1963	F	2013	Old Main Road	10	1294QK	Midhurst	010-659599	-
39	Bishop	D	1956	M	2010	Eaton Square	78	9629CD	Stratford	070-393435	-
95	Miller	P	1934	M	2002	High Street	33a	5746OP	Douglas	070-867564	-

2. Show the identification codes of all the companies for which deliverers either delivered or collected goods.

```
SELECT DISTINCT COMPANYID FROM COMPANYDEL;
```

COMPANYID
1
2

3. For each deliverer whose last name (attribute NAME) starts with the letter 'B', show the deliverer name and the identification code.

```
SELECT NAME, DELIVERERID  
FROM DELIVERERS  
WHERE NAME LIKE 'B%';
```

NAME	DELIVERERID
Baker	44
Brown	57
Bailey	112
Bishop	39

4. For each deliverer whose office phone number (attribute PHONENO) is either different from 8467 or not available, show the deliverer name, sex, and identification code.

```
SELECT NAME, SEX, DELIVERERID  
FROM DELIVERERS  
WHERE PHONENO <> 8467 OR PHONENO IS NULL;
```

NAME	SEX	DELIVERERID
Everett	M	2
Newcastle	F	8
Collins	F	27
Baker	M	44
Brown	M	57
Hope	M	83
Parmenter	M	100
Moorman	F	104
Bailey	F	112
Wise	M	7
Collins	F	28
Bishop	M	39
Miller	M	95

5. Show the name and city of residence of the deliverers who received at least one fine.

```
SELECT DISTINCT NAME, TOWN
FROM DELIVERERS D, PENALTIES P
WHERE D.DELIVERERID = P.DELIVERERID;
```

NAME	TOWN
Baker	Inglewood
Parmenter	Stratford
Moorman	Eltham
Newcastle	Inglewood
Collins	Eltham

6. For each company reference person who has received at least one fine after 31/12/2000, show the last name and the first name initials (attribute INITIALS). Sort the result in increasing alphabetical order with respect to the last name.

```
SELECT DISTINCT NAME, INITIALS
FROM DELIVERERS D, PENALTIES P, COMPANIES C
WHERE D.DELIVERERID = P.DELIVERERID
AND C.DELIVERERID = P.DELIVERERID
AND DATA > TO_DATE ('31/12/2000','DD/MM/YYYY')
ORDER BY NAME;
```

NAME	INITIALS
Collins	DD
Parmenter	R

7. For each deliverer living in Stratford, find all companies where the deliverer has made at least two collections and one delivery, showing the results as pairs (deliverer identification code, company identification code).

```
SELECT COMPANYID, D.DELIVERERID
FROM DELIVERERS D, COMPANYDEL CD
WHERE D.DELIVERERID = CD.DELIVERERID
AND TOWN = 'Stratford'
AND NUMCOLLECTIONS >= 2 AND NUMDELIVERIES >=1;
```

COMPANYID	DELIVERERID
1	2
1	83

8. Show the identification codes for the deliverers born after 1982 who have made at least one delivery or collection to a company whose reference person has been appointed for the first time (attribute MANDATE='first'). Sort the result in descending order of identification codes.

```
SELECT DISTINCT D.DELIVERERID
FROM DELIVERERS D, COMPANYDEL CD, COMPANIES C
WHERE D.DELIVERERID = CD.DELIVERERID AND CD.COMPANYID=C.COMPANYID AND
YEAR_OF_BIRTH > 1982 AND MANDATE = 'first'
AND NUMDELIVERIES >=1
ORDER BY D.DELIVERERID DESC;
```

DELIVERERID
83
44
6
2

9. Show the last name (attribute NAME) of the deliverers living either in Inglewood or in Stratford who either delivered or collected goods for at least 2 customer companies.

```
SELECT DISTINCT NAME
FROM DELIVERERS D, COMPANYDEL CD
WHERE D.DELIVERERID = CD.DELIVERERID
AND (TOWN ='Stratford ' OR TOWN ='Inglewood ')
GROUP BY D.DELIVERERID, NAME
HAVING COUNT (*) >1;
```

NAME
Newcastle

10. For each deliverer living in Inglewood who received at least two fines, show the deliverer identification code and the total amount (attribute AMOUNT) of the received fines.

```
SELECT D.DELIVERERID, SUM(AMOUNT)
FROM DELIVERERS D, PENALTIES P
WHERE D.DELIVERERID = P.DELIVERERID
AND TOWN ='Inglewood '
GROUP BY D.DELIVERERID
HAVING COUNT (*) >1;
```

DELIVERERID	SUM(AMOUNT)
44	130

11. For each deliverer who received between 2 and 4 fines (i.e., at least 2 but no more than 4 fines), show the last name and the amount of the smallest fine received.

```
SELECT D.NAME, MIN(AMOUNT)
FROM DELIVERERS D, PENALTIES P
WHERE D.DELIVERERID = P.DELIVERERID
GROUP BY D.DELIVERERID, D.NAME
HAVING COUNT (*) >=2 AND COUNT (*) <=4;
```

NAME	MIN(AMOUNT)
Baker	25
Collins	50

12. Considering the deliverers not living in Stratford and whose last name (attribute NAME) begins with the letter 'B', show the total number of deliveries and the total number of collections.

```
SELECT SUM(NUMDELIVERIES), SUM(NUMCOLLECTIONS)
FROM COMPANYDEL CD, DELIVERERS D
WHERE CD.DELIVERERID = D.DELIVERERID
AND TOWN <>'Stratford '
AND NAME LIKE 'B%';
```

SUM(NUMDELIVERIES)	SUM(NUMCOLLECTIONS)
11	13

13. Find the identification code, name and the first name initials (attribute INITIALS) of all the deliverers which never received a fine.

```
SELECT DELIVERERID, NAME, INITIALS
FROM DELIVERERS
WHERE DELIVERERID NOT IN
(SELECT DELIVERERID
FROM PENALTIES);
```

DELIVERERID	NAME	INITIALS
57	Brown	M
7	Wise	GWS
2	Everett	R
112	Bailey	IP
28	Collins	C
83	Hope	PK
95	Miller	P
39	Bishop	D
100	Parmenter	P

14. Find the identification code of all the deliverers which received at least one fine of 25€ and at least one of 30€.

```
SELECT DISTINCT DELIVERERID
FROM PENALTIES
WHERE AMOUNT = 25
AND DELIVERERID IN
(SELECT DELIVERERID
FROM PENALTIES
WHERE AMOUNT = 30);
```

DELIVERERID
44

15. Find the identification code and name of the deliverers who have received more than one fine on the same date.

```
SELECT DISTINCT D.DELIVERERID, NAME
FROM DELIVERERS D, PENALTIES P
WHERE D.DELIVERERID = P.DELIVERERID
GROUP BY D.DELIVERERID, DATA, NAME
HAVING COUNT (*) >1;
```

DELIVERERID	NAME
27	Collins

16. Find the identification code of the deliverers who have visited all companies listed in the table COMPANIES (note: the deliverers who have “visited” a company are those who have made at least one delivery or pickup at the respective company).

```
SELECT DELIVERERID
FROM COMPANYDEL
GROUP BY DELIVERERID
HAVING COUNT (*) = (SELECT COUNT (*)
FROM COMPANIES);
```

DELIVERERID
8

17. Find the identification code of the deliverers who have made deliveries (or pickups) to at least one company where deliverer 57 has made deliveries (or pickups).

```
SELECT DISTINCT DELIVERERID
FROM COMPANYDEL
WHERE DELIVERERID <> 57
AND COMPANYID IN
(SELECT COMPANYID
FROM COMPANYDEL
WHERE DELIVERERID = 57);
```

DELIVERERID
6
44
2
8
83

18. For each deliverer who has received at least two fines, find the identification code of the deliverer, the date of the first fine, and the date of the last fine they received.

```
SELECT DELIVERERID, MIN(DATA), MAX(DATA)
FROM PENALTIES
GROUP BY DELIVERERID
HAVING COUNT(*)>=2;
```

DELIVERERID	MIN(DATA)	MAX(DATA)
27	09/10/2021	11/12/2021
44	12/08/2020	12/30/2021