

Extended SQL

The following relations are given (primary keys are underlined, optional attributes are denoted with *):

Customer(CustomerID, CustomerSurname, Province, Region)

Category(CategoryID, CategoryName)

Agent(AgentID, AgentSurname, Agency)

Time(TimeID, Month, Quarter, Semester, Year)

Sales(TimeID, CustomerID, ItemCategoryID, AgentID, TotAmount, NumSoldItems, TotDiscount)

- a) Show for each category of items,
- The category
 - The total sale amount for the category
 - The total number of sold items within the category
 - The rank of the category according to its total sale amount
 - The rank of the category according to its total number of sold items
 - Sort the result for increasing value of total number of sold items within the category
- b) Show, for each province
- The province
 - The region of the province
 - The total sale amount for the province
 - The rank of the province according to its total sale amount, separately for each region
- c) Show, for each province and month
- The province
 - The region of the province
 - The month
 - The total sale amount for the province in the current month
 - The rank of the province according to its total sale amount, separately for each month

NB: The same month, in different years, should be managed as a different month. For example, the month January in 2007 is different from the month January in 2006.

- d) Show, for each region and month
- The region
 - The month
 - The total sale amount for the region in the current month
 - The cumulative sale amount for increasing months, separately for each region

NB: The same month, in different years, should be managed as a different month. For example, the month January in 2007 is different from the month January in 2006.

Queries

- a) `SELECT CategoryName, SUM(TotAmount), SUM(NumSoldItems)
RANK() over (ORDER BY SUM(TotAmount) DESC) as RANK_ TotAmount,
RANK() over (ORDER BY SUM(NumSoldItems) DESC) as RANK_ NumSoldItems,
FROM Sales S, Category C
WHERE S.ItemCategoryID = C.CategoryID
GROUP BY C.CategoryID, CategoryName
ORDER BY RANK_ NumSoldItems;`
- b) `SELECT Province, Region, SUM(TotAmount),
RANK() over (PARTITION by Region ORDER BY SUM(TotAmount) DESC)
as RANK_ TotAmountRegion
FROM SALES S, CUSTOMER C
WHERE S.CustomerID = C.CustomerID
GROUP BY Province, Region;`
- c) `SELECT Province, Region, Month, SUM(TotAmount),
RANK() over (PARTITION by Month
ORDER BY SUM(TotAmount) DESC) as CumulativeAmount
FROM SALES S, CUSTOMER C, TIME T
WHERE S.CustomerID=C.CustomerID AND S.TimeID=T.TimeID
GROUP BY Province, Region, Month;`
- d) `SELECT Region, Month, SUM(TotAmount),
SUM(SUM(TotAmount)) over (PARTITION by Region
ORDER BY Month
ROWS UNBOUNDED PRECEDING) as CumulativeAmount
FROM SALES S, CUSTOMER C, TIME T
WHERE S.CustomerID=C.CustomerID AND S.TimeID=T.TimeID
GROUP BY Region, Month;`