

# Regression algorithms

## Regression algorithms

- Spark MLlib provides also a set of regression algorithms
  - Linear regression
  - Decision tree regression
  - Random forest regression
  - Survival regression
  - Isotonic regression

## Regression algorithms

- A regression algorithm is used to predict the value of a continuous attribute (the target attribute) by applying a model on the predictive attributes
- The model is trained on a set of training data
  - i.e., a set of data for which the value of the target attribute is known
- And it is applied on new data to predict the target attribute

3

## Regression algorithms

- The regression algorithms available in Spark work only on numerical data
  - They work similarly to classification algorithms, but they **predict continuous numerical values** (the target attribute is a continuous numerical attribute)
- The input data must be transformed in a DataFrame having the following attributes:
  - label: double
    - The continuous numerical value to be predicted
  - features: Vector of doubles
    - Predictive features

4

## Regression algorithms

- The main steps used to infer a regression model with MLlib are the same we use to infer a classification model
  - The difference is only given by the type of the target attribute to predict

5

## Linear regression and structured data

## Linear regression and structured data

- Linear regression is a popular, effective and efficient regression algorithm
- The following slides show how to instantiate a linear regression algorithm in Spark and apply it on new data
- The input dataset is a structured dataset with a fixed number of attributes
  - One attribute is the target attribute (the label)
    - We suppose the first column contains the target attribute
  - The others are predictive attributes that are used to predict the value of the target attribute

7

## Linear regression and structured data

- Consider the following example file  
label,attr1,attr2,attr3  
2.0,0.0,1.1,0.1  
5.0,2.0,1.0,-1.0  
5.0,2.0,1.3,1.0  
2.0,0.0,1.2,-0.5  
.....
- Each record has three predictive attributes and the target attribute
  - The first attribute (label) is the target attribute
  - The other attributes (attr1, attr2, attr3) are the predictive attributes

8

## Linear regression and structured data: Example

```

from pyspark.mllib.linalg import Vectors
from pyspark.ml.feature import VectorAssembler
from pyspark.ml.regression import LinearRegression
from pyspark.ml import Pipeline
from pyspark.ml import PipelineModel

# input and output folders
trainingData = "ex_dataregression/trainingData.csv"
unlabeledData = "ex_dataregression/unlabeledData.csv"
outputPath = "predictionsLinearRegressionPipeline/"

```

9

## Linear regression and structured data: Example

```

# *****
# Training step
# *****

# Create a DataFrame from trainingData.csv
# Training data in raw format
trainingData = spark.read.load(trainingData,\
    format="csv", header=True,\
    inferSchema=True)

# Define an assembler to create a column (features) of type Vector
# containing the double values associated with columns attr1, attr2, attr3
assembler = VectorAssembler(inputCols=["attr1", "attr2", "attr3"],\
    outputCol="features")

```

10

## Linear regression and structured data: Example

```
# Create a LinearRegression object.
# LinearRegression is an Estimator that is used to
# create a regression model based on linear regression
lr = LinearRegression()

# We can set the values of the parameters of the
# Linear Regression algorithm using the setter methods.
# There is one set method for each parameter
# For example, we are setting the number of maximum iterations to 10
# and the regularization parameter. to 0.01
lr.setMaxIter(10)
lr.setRegParam(0.01)
```

11

## Linear regression and structured data: Example

```
# Define a pipeline that is used to create the linear regression
# model on the training data. The pipeline includes also
# the preprocessing step
pipeline = Pipeline().setStages([assembler, lr])

# Execute the pipeline on the training data to build the
# regression model
regressionModel = pipeline.fit(trainingData)

# Now, the regression model can be used to predict the target attribute value
# of new unlabeled data
```

12

## Linear regression and structured data: Example

```
# Create a DataFrame from unlabeledData.csv
# Unlabeled data in raw format
unlabeledData = spark.read.load(unlabeledData,\
    format="csv", header=True, inferSchema=True)

# Make predictions on the unlabeled data using the transform() method of the
# trained regression model transform uses only the content of 'features'
# to perform the predictions. The model is associated with the pipeline and hence
# also the assembler is executed
predictionsDF = regressionModel.transform(unlabeledData)
```

13

## Linear regression and structured data: Example

```
# The returned DataFrame has the following schema (attributes)
# - attr1
# - attr2
# - attr3
# - original attributes
# - features: vector (values of the attributes)
# - label: double (actual value of the target variable)
# - prediction: double (the predicted continuous value of the target variable)

# Select only the original features (i.e., the value of the original attributes
# attr1, attr2, attr3) and the predicted value of the target variable for each record
predictions = predictionsDF.select("attr1", "attr2", "attr3", "prediction")

# Save the result in an HDFS output folder
predictions.write.csv(outputPath, header="true")
```

14

## Linear regression and textual data

## Linear regression and textual data

- The linear regression algorithms can be used also when the input dataset is a collection of documents/texts
- Also in this case the text must be mapped to a set of continuous attributes

## Linear regression and parameter setting

## Linear regression and parameter setting

- The tuning approach that we used for the classification problem can also be used to optimize the regression problem
- The only difference is given by the used evaluator
  - In this case the difference between the actual value and the predicted one must be computed