

DataBase and Data Mining Group

Andrea Pasini, Elena Baralis

1. Preprocessing



The following list represents training set values of a specific attribute.

[10, 0, 5, 3, 3, 0, 3, 4, 4, 7, 5, 7, 8, 4, 9]

- Use these values to train an equal-frequency based discretization with three bins (low, medium, high). Which statement is correct?
 - a) The test vector [1, 7, 9] is discretized to [low, medium, high]
 - b) The test vector [10, 7, 4] is discretized to [high, medium, medium]
 - c) The test vector [3, 4, 7] is discretized to [low, medium, high]
 - d) The test vector [5, 4, 2] is discretized to [high, medium, low]





Which is the most significative pair of features for distinguishing between the two periodic time series depicted in the figure below?

- a) Mean, first derivative
- b) Mean, percentiles
- c) First derivative, percentiles
- d) Percentiles, frequency
- e) All of the pairs above are equivalent for distinguishing between the two series



3. Classification

- The two dataset splits depicted in the figure represent an intermediate step of Hunt's algorithm.
- Compute the Gini index of the two splits
 - Gini(X), Gini(Y)?
- Which of the two attribute splits will be selected by the algorithm?
 - a. X
 - b. Y





Х

4. Hierarchical clustering

- Given the following distance matrix, apply agglomerative hierarchical clustering with single-linkage (min).
- Which statement is correct?
 - a) With k = 3 clusters, *a* and *b* are in the same cluster
 - With k = 2 clusters, c and d are in different clusters
 - With k = 3 clusters, b and c are in different clusters
 - d) With k = 2 clusters, *b* and *c* are in the same cluster
 - e) All of the previous answers are correct

b С d а 1 4 3 0 а 0 2 4 1 b 4 2 0 3 С 4 3 d 3 0

